

**Yellow calamine 1A**

Violaceae

*Viola calaminaria*

Size (cm)	10
Flowering period (month)	4 – 9
Light demand (1-9)	8
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	1

**Bee orchid 1B**

Orchidaceae

*Ophrys apifera*

Size (cm)	20 – 50
Flowering period (month)	5 – 6
Light demand (1-9)	7
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	2

**Marsh orchid 1C**

Orchidaceae

*Dactylorhiza majalis*

Size (cm)	15 – 40
Flowering period (month)	5 – 7
Light demand (1-9)	8
Temperature range (1-9)	5
Soil moisture (1-12)	8
Nutrition (1-9)	3

**Calamine thrift 1D**

Plumbaginaceae

*Armeria maritima ssp. halleri*

Size (cm)	50
Flowering period (month)	6 – 11
Light demand (1-9)	8
Temperature range (1-9)	6
Soil moisture (1-12)	6
Nutrition (1-9)	4

**Common cotton grass 2A**

Cyperaceae

*Eriophorum angustifolium*

Size (cm)	20 – 40
Flowering period (month)	4 – 5
Light demand (1-9)	8
Temperature range (1-9)	X
Soil moisture (1-12)	9
Nutrition (1-9)	2

**Roundleaf sundew 2B**

Droseraceae

*Drosera rotundifolia*

Size (cm)	1 – 7
Flowering period (month)	6 – 8
Light demand (1-9)	9
Temperature range (1-9)	5
Soil moisture (1-12)	9
Nutrition (1-9)	2

**Cranberry 2C**

Ericaceae

*Vaccinium oxycoccos*

Size (cm)	2 – 10
Flowering period (month)	5 – 8
Light demand (1-9)	7
Temperature range (1-9)	5
Soil moisture (1-12)	9
Nutrition (1-9)	1

**Bogbean 2D**

Menyanthaceae

*Menyanthes trifoliata*

Size (cm)	30
Flowering period (month)	4 – 6
Light demand (1-9)	8
Temperature range (1-9)	X
Soil moisture (1-12)	9
Nutrition (1-9)	3

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

**Military orchid 3A**

Orchidaceae

*Orchis militaris*

Size (cm)	20 – 50
Flowering period (month)	4 – 6
Light demand (1-9)	7
Temperature range (1-9)	6
Soil moisture (1-12)	3
Nutrition (1-9)	2

**White helleborine 3B**

Orchidaceae

*Cephalanthera damasonium*

Size (cm)	60
Flowering period (month)	5 – 7
Light demand (1-9)	3
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Common twayblade 3C**

Orchidaceae

*Listera ovata*

Size (cm)	20 – 50
Flowering period (month)	5 – 7
Light demand (1-9)	6
Temperature range (1-9)	X
Soil moisture (1-12)	6
Nutrition (1-9)	7

**Common centaury 3D**

Gentianaceae

*Centaurium erythraea*

Size (cm)	20 – 50
Flowering period (month)	6 – 9
Light demand (1-9)	8
Temperature range (1-9)	6
Soil moisture (1-12)	5
Nutrition (1-9)	6

**Sweet woodruff 5A**

Rubiaceae

*Galium odoratum*

Size (cm)	5 – 50
Flowering period (month)	4 – 6
Light demand (1-9)	2
Temperature range (1-9)	5
Soil moisture (1-12)	5
Nutrition (1-9)	5

**Common whitebeam 5B**

Rosaceae

*Sorbus aria*

Size (cm)	1000
Flowering period (month)	5 – 6
Light demand (1-9)	6
Temperature range (1-9)	5
Soil moisture (1-12)	4
Nutrition (1-9)	3

**Wood millet 5C**

Poaceae

*Milium effusum*

Size (cm)	50 – 100
Flowering period (month)	5 – 7
Light demand (1-9)	4
Temperature range (1-9)	X
Soil moisture (1-12)	5
Nutrition (1-9)	5

**Wood spurge 5D**

Euphorbiaceae

*Euphorbia amygdaloides*

Size (cm)	30 – 70
Flowering period (month)	4 – 6
Light demand (1-9)	4
Temperature range (1-9)	5
Soil moisture (1-12)	5
Nutrition (1-9)	5



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

**Field scabious 4A**

Caprifoliaceae



*Knautia arvensis*

Size (cm)	30 – 80
Flowering period (month)	4 – 7
Light demand (1-9)	7
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Meadowsweet 4B**

Rosaceae



*Filipendula ulmaria*

Size (cm)	50 – 150
Flowering period (month)	6 – 8
Light demand (1-9)	7
Temperature range (1-9)	4
Soil moisture (1-12)	8
Nutrition (1-9)	5

**Ragged-robin 4C**

Caryophyllaceae



*Lychnis flos-cuculi*

Size (cm)	30 – 90
Flowering period (month)	5 – 7
Light demand (1-9)	7
Temperature range (1-9)	5
Soil moisture (1-12)	7
Nutrition (1-9)	X

**Spiked rampion 4D**

Campanulaceae



*Phyteuma spicatum*

Size (cm)	30 – 80
Flowering period (month)	5 – 8
Light demand (1-9)	X
Temperature range (1-9)	X
Soil moisture (1-12)	5
Nutrition (1-9)	5

**Annual bugloss 6A**

Boraginaceae



*Lycopsis arvensis*

Size (cm)	15 – 40
Flowering period (month)	5 – 9
Light demand (1-9)	7
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Field larkspur 6B**

Ranunculaceae



*Consolida regalis*

Size (cm)	20 – 50
Flowering period (month)	5 – 8
Light demand (1-9)	6
Temperature range (1-9)	7
Soil moisture (1-12)	4
Nutrition (1-9)	5

**Pale poppy 6C**

Papaveraceae



*Papaver argemone*

Size (cm)	15 – 30
Flowering period (month)	5 – 7
Light demand (1-9)	6
Temperature range (1-9)	6
Soil moisture (1-12)	4
Nutrition (1-9)	5

**Corn flower 6D**

Asteraceae



*Centaurea cyanus*

Size (cm)	20 – 100
Flowering period (month)	5 – 10
Light demand (1-9)	7
Temperature range (1-9)	6
Soil moisture (1-12)	X
Nutrition (1-9)	X

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)





**Marsh marigold 7A**

Ranunculaceae

*Caltha palustris*

Size (cm)	15 – 60
Flowering period (month)	3 – 6
Light demand (1-9)	7
Temperature range (1-9)	X
Soil moisture (1-12)	9
Nutrition (1-9)	6

**Wood stitchwort 7B**

Caryophyllaceae

*Stellaria nemorum*

Size (cm)	20 – 60
Flowering period (month)	5 – 9
Light demand (1-9)	4
Temperature range (1-9)	X
Soil moisture (1-12)	7
Nutrition (1-9)	7

**Hart's tongue fern 7C**

Aspleniaceae

*Asplenium scolopendrium*

Size (cm)	15 – 45
Flowering period (month)	–
Light demand (1-9)	4
Temperature range (1-9)	5
Soil moisture (1-12)	5
Nutrition (1-9)	4

**Touch-me-not balsam 7D**


Balsaminaceae

*Impatiens noli-tangere*

Size (cm)	30 – 70
Flowering period (month)	7 – 8
Light demand (1-9)	4
Temperature range (1-9)	5
Soil moisture (1-12)	7
Nutrition (1-9)	6

**Common hawthorn 8A**

Rosaceae

*Crataegus monogyna*

Size (cm)	600
Flowering period (month)	5 – 6
Light demand (1-9)	7
Temperature range (1-9)	5
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Common broom 8B**

Fabaceae

*Cytisus scoparius*

Size (cm)	200
Flowering period (month)	5 – 6
Light demand (1-9)	8
Temperature range (1-9)	5
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Cornelian cherry 8C**

Cornaceae

*Cornus mas*

Size (cm)	800
Flowering period (month)	2 – 4
Light demand (1-9)	6
Temperature range (1-9)	7
Soil moisture (1-12)	4
Nutrition (1-9)	4

**Blackthorn 8D**

Rosaceae

*Prunus spinosa*

Size (cm)	400
Flowering period (month)	4 – 5
Light demand (1-9)	7
Temperature range (1-9)	5
Soil moisture (1-12)	4
Nutrition (1-9)	X

Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)



Gefördert durch



Erasmus+  
Schulbildung



[biodiversity-meets-music.eu](http://biodiversity-meets-music.eu)

